



ダンロップ MC タイヤ 参考 定価表 2025年4月～

大石ゴム株式会社

本社 福岡県福岡市博多区諸岡2-15-11 TEL:092-591-6721 FAX:092-573-4053
営業所 長崎県佐世保市御本町16-2 TEL:0956-34-1131 FAX:0956-34-1838
営業所 鹿児島県鹿児島市伊敷5-28-70 TEL:099-218-8791 FAX:099-229-7880

SPORTMAX			
F/R	インチ	サイズ	(円)
16	130/70ZR16M/C (61W)	TL Q5A	43,700
		GPR300	37,000
17	110/70R17M/C 54H	TL Q5A	32,200
		GPR300	31,800
110/70ZR17M/C (54W)	TL Q5	Q5S	37,700
		α-14	35,600
120/60R17M/C 55H	TL Q5A	Q5S	36,800
		α-14	32,200
120/60ZR17M/C (55W)	TL Q5A	GPR300	31,600
		GPR300	30,800
120/70ZR17M/C (58W)	TL Q5	Q5S	37,900
		α-14	33,300
130/70ZR17M/C (62W)	TL Q5	ROADSMART4	33,300
		GPR300	31,200
18	110/80R18M/C 58V	TL Q5A	46,800
		GPR300	44,500
110/80ZR18M/C (58W)	TL Q5A	Q5S	42,900
		α-14	42,200
120/70ZR18M/C (59W)	TL Q5A	ROADSMART4	41,400
		GPR300	43,300
140/60R17M/C 63H	TL Q5A	Q5S	41,200
		α-14	41,400
140/70R17M/C 66H	TL Q5A	GPR300	41,000
		GPR300	48,100
140/70ZR17M/C 66W	TL Q5	Q5S	45,400
		α-14	43,100
150/60R17M/C 66H	TL Q5A	GPR300	42,400
		GPR300	49,700
150/60ZR17M/C (66W)	TL Q5	Q5S	47,000
		α-14	49,700
150/70ZR17M/C (69W)	TL Q5A	GPR300	45,800
		GPR300	47,200
160/60R17M/C 69H	TL Q5	Q5S	61,000
		α-14	59,900
160/60ZR17M/C (69W)	TL Q5	ROADSMART4	57,000
		GPR300	47,400
160/70ZR17M/C (73W)	TL Q5A	Q5S	57,900
		α-14	56,600
170/60ZR17M/C (72W)	TL Q5A	ROADSMART4	52,700
		GPR300	47,400
180/70ZR17M/C (73W)	TL Q5A	ROADSMART4	57,900
		GPR300	61,600
180/55ZR17M/C (73W)	TL Q5	Q5S	58,700
		α-14	48,700
180/60ZR17M/C (69W)	TL Q5	ROADSMART4	58,700
		GPR300	48,700
160/60ZR17M/C (69W)	TL Q5	Q5S	66,900
		α-14	66,000
180/55ZR17M/C (73W)	TL Q5	Q5S	68,900
		α-14	63,100
180/60ZR17M/C (69W)	TL Q5A	ROADSMART4	62,200
		GPR300	61,000
180/60ZR17M/C (75W)	TL Q5	Q5S	64,100
		α-14	51,200
190/50ZR17M/C (73W)	TL Q5	ROADSMART4	69,700
		GPR300	70,400
190/55ZR17M/C (75W)	TL Q5	Q5S	67,400
		α-14	64,500
190/60ZR17M/C (78W)	TL Q5A	ROADSMART4	63,700
		GPR300	65,200
200/55ZR17M/C (78W)	TL Q5	Q5S	73,300
		α-14	71,400
18	140/60R18M/C 64H	TL Q5A	45,600
		GPR300	42,700
140/70R18M/C 67V	TL Q5A	ROADSMART4	47,500
		GPR300	50,600
150/60R18M/C 67H	TL Q5A	Q5S	48,300
		α-14	62,700
150/70ZR18M/C (70W)	TL Q5A	ROADSMART4	58,500
		GPR300	62,700
160/60ZR18M/C (70W)	TL Q5A	Q5S	62,700
		α-14	67,500
170/60ZR18M/C (73W)	TL Q5A	ROADSMART4	67,500
		GPR300	69,500

スタンダードラジアル			
F/R	インチ	サイズ	(円)
17	120/60ZR17M/C (55W)	TL D204	35,600
		ROADSMART3S	33,900
120/70ZR17M/C (58W)	TL D204	Q-LITE	41,400
		ROADSPORT	39,300
18	120/70R18M/C 59V	TL D204	39,500
		ROADSMART3S	40,800
130/70R18M/C 63H	TL D204	ROADSMART2	43,900
		ELITE4	45,200
19	120/70ZR19M/C (60W)	TL D208	49,100
		ELITE4	51,600
18	180/60R18M/C 80H	TL ELITE4	69,900
		ROADSMART4	54,900
17	180/60ZR17M/C (69W)	TL D204	52,200
		ROADSMART3S	52,200
180/55ZR17M/C (73W)	TL D204	Q-LITE	61,600
		ROADSPORT	58,700
190/50ZR17M/C (73W)	TL D204	ROADSMART3S	57,400
		ROADSPORT	60,400
18	190/55ZR17M/C (75W)	TL D207	59,500
		ROADSPORT	59,500
200/50R18M/C 76V	TL D207	ROADSMART3S	61,600
		ROADSPORT	59,500
18	180/55ZR18M/C (74W)	TL D207	67,700
		ROADSMART2	75,000
120/70R17M/C 63H	TL Q5A	α-13SP	37,200
		α-13SP	42,200
140/70R17M/C 66H	TL Q5A	D212 ミディアム	50,200
		α-13SP	47,200
140/70ZR17M/C 66W	TL Q5S	α-13SP	47,200
		α-13SP	56,000
150/60R17M/C 66H	TL Q5A	α-13SP	47,200
		α-13SP	48,700
150/60ZR17M/C (66W)	TL Q5S	α-13SP	57,000
		α-13SP	63,300
160/60ZR17M/C (69W)	TL Q5S	D212 ミディアム	73,300
		α-13SP	72,500
160/60R17M/C 69H	TL Q5	α-13SP	76,400
		D212 ミディアム	77,200
160/60ZR17M/C (69W)	TL Q5S	α-13SP	68,900
		α-13SP	13,500
120/80-14M/C 58P	WT TT900	α-13SP	12,900
		α-13SP	25,400
130/90-15M/C 66H	WT TT900GP	α-13SP	18,500
		α-13SP	30,000
140/90-15M/C 70S	WT D404	α-13SP	24,100
		α-13SP	28,700
150/90B15M/C 74H	WT D404	α-13SP	35,600
		α-13SP	32,900
160/80-15M/C 74S	WT D404	α-13SP	42,000
		α-13SP	35,200
170/80-15M/C 77H	WT D404	α-13SP	35,200
		α-13SP	29,900
170/80-15M/C 77S	WT D404	α-13SP	26,200
		α-13SP	28,900
180/70-15M/C 76H	WT D404	α-13SP	28,900
		α-13SP	28,900
130/90-16M/C 67H	TL GT601	α-13SP	28,900
		α-13SP	35,800
130/90-16M/C 73H	TL GT601	α-13SP	27,500
		α-13SP	31,400
140/90-16M/C 71H	WT D404	α-13SP	27,500
		α-13SP	27,500
150/80B16M/C 71H	WT D404	α-13SP	27,500
		α-13SP	45,800
150/80-16M/C 71V	TL K300GP	α-13SP	17,200
		α-13SP	20,000
80/90-17M/C 49P	TL TT900GP	α-13SP	25,000
		α-13SP	31,800
120/80-17M/C 61S	TL TT900GP	α-13SP	30,000
		α-13SP	22,400
130/70-17M/C 62H	TL GT601	α-13SP	25,400
		α-13SP	29,100
130/70-17M/C 62S	TL TT900GPN	α-13SP	25,400
		α-13SP	32,500
130/90-17M/C 68V	TL GT601	α-13SP	42,000
		α-13SP	25,000
140/70-17M/C 66H	TL GT601	α-13SP	28,300
		α-13SP	28,100
150/70-17M/C 69H	TL GT601	α-13SP	34,700
		α-13SP	27,900
100/90-18M/C 56H	TL TT900GP	α-13SP	24,500
		α-13SP	25,400
110/90-18M/C 61H	TL GT601	α-13SP	27,500
		α-13SP	35,400
120/80-18M/C 62H	TL GT601	α-13SP	32,700
		α-13SP	39,300
120/90-18M/C 65V	TL GT601	α-13SP	25,400
		α-13SP	36,000
130/70-18M/C 63H	TL GT601	α-13SP	25,400
		α-13SP	42,700
130/80-18M/C 66V	TL GT601	α-13SP	28,700
		α-13SP	35,800
140/70-18M/C 67H	TL GT601	α-13SP	28,700
		α-13SP	38,700
150/70-18M/C 70H	TL GT601	α-13SP	31,000
		α-13SP	38,700
70/90-17M/C 38S	TL Q-LITE	α-13SP	11,200
		α-13SP	13,300
80/90-17M/C 50S	TL Q-LITE	α-13SP	17,900
		α-13SP	19,700
90/80-17M/C 46S	TL K300GP	α-13SP	17,500
		α-13SP	15,000
130/90-16M/C 67H	TL D404	α-13SP	27,200
		α-13SP	23,300
130/90-16M/C 67S	WT D404	α-13SP	21,200
		α-13SP	31,400

プレミアムバイアス(続き)			
F/R	インチ	サイズ	(円)
17	90/90-17M/C 49P	WT D404	10,400
		TT900GP	20,000
100/80-17M/C 52S	TL TT900GP	Q-LITE	17,400
		Q-LITE	19,500
110/70-17M/C 54H	TL GT601	ROADSPORT	18,100
		Q-LITE	20,800
110/80-17M/C 57H	TL GT601	ROADSMART2	21,200
		TT900GP	26,400
120/80-17M/C 61S	TL D404	Q-LITE	22,200
		Q-LITE	18,900
120/90-17M/C 64S	WT D404	Q-LITE	20,400
		Q-LITE	10,000
120/70-17M/C 58H	TL GT601	Q-LITE	10,000
		Q-LITE	19,900
80/100-18M/C 47P	WT D404	Q-LITE	22,400
		Q-LITE	22,400
100/80-18M/C 53H	TL GT601	Q-LITE	22,400
		Q-LITE	26,000
100/90-18M/C 56H	TL GT601	K300GP	30,400
		K300GP	35,200
110/90-18M/C 61V	TL GT601	K300GP	31,200
		K300GP	17,700
90/90-18M/C 51H	TL GT601	Q-LITE	24,100
		Q-LITE	26,400
120/90-18M/C 65H	TL D404	Q-LITE	13,500
		Q-LITE	22,700
3.00S19 4PR	WT D404	Q-LITE	19,300
		Q-LITE	17,400
100/90-19M/C 57S	WT D404	Q-LITE	26,400
		Q-LITE	27,500
110/90-19M/C 62H	TL D404	K300GP	32,700
		K300GP	17,000
100/90-19M/C 57V	TL GT601	Q-LITE	18,900
		Q-LITE	17,400
80/90-21M/C 48H	WT D404	Q-LITE	17,000
		Q-LITE	18,900
80/90-21M/C 48H	TL D404	Q-LITE	17,400
		Q-LITE	13,500
120/80-14M/C 58P	WT TT900	Q-LITE	12,900
		Q-LITE	25,400
130/90-15M/C 66H	WT D404	Q-LITE	18,500
		Q-LITE	30,000
140/90-15M/C 70S	WT D404	Q-LITE	24,100
		Q-LITE	28,700
150/90B15M/C 74H	WT D404	Q-LITE	35,600
		Q-LITE	32,900
160/80-15M/C 74S	WT D404	Q-LITE	42,000
		Q-LITE	35,200
170/80-15M/C 77H	WT D404	Q-LITE	35,200
		Q-LITE	29,900
170/80-15M/C 77S	WT D404	Q-LITE	26,200
		Q-LITE	28,900
180/70-15M/C 76H	WT D404	Q-LITE	28,900
		Q-LITE	28,900
130/90-16M/C 67H	TL GT601	Q-LITE	28,900
		Q-LITE	35,800
130/90-16M/C 73H	TL K300GP	Q-LITE	27,500
		Q-LITE	31,400
140/90-16M/C 71H	WT D404	Q-LITE	27,500
		Q-LITE	45,800
150/80B16M/C 71H	WT D404	Q-LITE	17,200
		Q-LITE	20,000
80/90-17M/C 49P	TL TT900GP	Q-LITE	25,000
		Q-LITE	31,800
120/80-17M/C 61S	TL TT900GP	Q-LITE	30,000
		Q-LITE	22,400
130/70-17M/C 62H	TL GT601	Q-LITE	25,400



ダンロップ MC タイヤ 参考 定価表 2025年4月～

大石ゴム株式会社

本社 福岡県福岡市博多区諸岡2-15-11 TEL:092-591-6721 FAX:092-573-4053
 営業所 長崎県佐世保市御本町16-2 TEL:0956-34-1131 FAX:0956-34-1838
 営業所 鹿児島県鹿児島市伊敷5-28-70 TEL:099-218-8791 FAX:099-229-7880

スクーターミニバイク					
F/R	インチ	サイズ	構造	パターン	(円)
F	10	3.50-10 2PR (41J)	WT	K234	8,900
		90/100-10 53J	TL	K234	14,500
		110/90-10 61J	TL	SCOOTSMART	13,300
	12	4.00-12 4PR (65J)	WT	K488	13,300
			TL	K378	11,600
			TL	KR337 PRO	18,300
		100/90-12 44J	TL	TT93GP PRO	18,300
			TL	TT93GP PRO	18,300
			TL	K488	18,100
	110/100-12 62J	TL	SCOOTSMART	13,700	
		TL	SCOOTSMART2	12,200	
		TL	D307	10,400	
TL		TT93GP	12,700		
TL		SCOOTSMART2	14,100		
TL		SCOOTSMART2	12,500		
13	110/90-13M/C 55P	TL	SCOOTSMART2	15,200	
		TL	SCOOTSMART2	12,900	
		TL	TT93GP	14,100	
	120/70-13M/C 53P	TL	SCOOTSMART2	13,100	
		TL	SCOOTSMART2	10,400	
		TL	SCOOTSMART2	10,600	
14	80/90-14M/C 40P	TL	SCOOTSMART2	11,400	
		TL	D307	11,400	
		TL	SCOOTSMART2	11,400	
	90/80-14M/C 43P	TL	D307	10,800	
		TL	SCOOTSMART2	11,800	
		TL	SCOOTSMART2	14,300	
110/70-14M/C 50P	TL	SCOOTSMART2	17,400		
	TL	ROADSMART3	31,800		
	TL	SCOOTSMART	15,800		
15	120/70R14 56H	TL	SCOOTSMART2	15,800	
		TL	SCOOTSMART2	18,900	
		TL	ROADSMART3	33,300	
	120/70R15M/C 56H	TL	GPR100	30,200	
		TL	SCOOTSMART2	16,800	
		TL	SCOOTSMART2	17,900	
16	80/90-17	TL	KR410	19,700	
	90/80R17	TL		35,800	
17	110/70R17	TL	KR410	39,500	
	130/90-6 53J	WT	D308	14,100	
8	130/70-8 42L	TL	D308	17,200	
	110/80-10 58J	TL	D307A	13,500	
10	110/90-10 61J	TL	K378	13,900	
	120/90-10 66J	TL	SCOOTSMART	13,900	
12	120/500-12	TL	KR337 PRO	23,100	
		TL	SCOOTSMART2	12,500	
		TL	TT93GP PRO	23,100	
	120/80-12 55J ソフト	TL	TT93GP PRO	23,100	
		TL	TT93GP PRO	23,100	
		TL	TT93GP PRO	23,100	
130/70-12 62L	TL	TT93GP	15,600		
	TL	SCOOTSMART2	14,100		
	TL	D307	12,900		
130/490-12	TL	KR337 PRO	23,900		
	TL	SCOOTSMART2	15,200		
13	130/70-13M/C 63P	TL	TT93GP	16,600	
		TL	SCOOTSMART2	15,800	
		TL	SCOOTSMART2	17,200	
	140/70-13M/C 64S	TL	SCOOTSMART2	19,900	
		TL	SCOOTSMART2	11,400	
		TL	D307A	12,500	
120/70-14M/C 61P	TL	D307	14,300		
	TL	SCOOTSMART2	14,700		
	TL	SCOOTSMART2	18,900		
150/70-14M/C 66S	TL	SCOOTSMART	20,000		
	TL	SCOOTSMART2	20,400		
	TL	ROADSMART3	42,900		
160/60R14 65H	TL	ROADSMART3	45,200		
	TL	ROADSMART3	45,200		
	TL	GPR100	41,000		
17	100/70R17	TL	KR410	41,400	
	115/70R17	TL	KR410	42,500	
	140/70R17	TL	KR410	48,100	

※ 在庫限り、下市
 ※2 公道走行不可
 ☆ REINFORCED(負荷能力強化タイプ)

スクーターミニバイク(続き)					
F/R	インチ	サイズ	構造	パターン	(円)
共	8	2.50-8 4PR	WT	K398	6,200
		3.00-8 26J	WT	D307	6,400
		3.50-8 46J	TL	TT100	11,600
	10	3.50-8 4PR (46J)	WT	TT100GP	10,600
			WT	TT100	9,100
			WT	D307	6,000
		2.50-10 33J	WT	D307	6,400
			TL	D307	10,400
			TL	D307	7,700
	3.50-10 51J	TL	D307	12,200	
		TL	D307	9,100	
		TL	D307	9,100	
TL		D307	12,200		
TL		D307	10,400		
TL		TT93GP	12,700		
100/80-10 52J	TL	D304	12,200		
	TL	D307	12,200		
	TL	TT93GP	15,200		
	TL	D307	11,000		
	TL	D307	12,000		
	TL	K178	13,700		
120/70-12 51L	TL	TT93GP	13,500		
	TL	D307	11,000		

スノー					
F/R	インチ	サイズ	構造	パターン	(円)
F	10	90/100-10 53J	TL	D501A	-
		100/100-12 62J	TL	D501A	-
		140/70-14M/C 37P	WT	D503	-
R	8	130/70-8 42L	TL	D501A	-
		80/100-14M/C 49P	WT	D503	-
共	14	2.75-14 41P (6PR)	WT	D503	-
		2.25-17 4PR	WT	D502	-
		2.50-17 4PR	WT	D502	-

☆ REINFORCED(負荷能力強化タイプ)

ロードレース ※公道走行不可					
F/R	インチ	サイズ	構造	パターン	(円)
共	12	100/90-12	TL	S-SLK S	20,600
			TL	S-RAIN	17,500
			TL	S-SLK SOFT	36,800
		90/80R17	TL	S-SLK MED	36,800
			TL	S-SLK HARD	36,800
			TL	KR189 WC	37,500
	110/70R17	TL	S-SLK MED	49,900	
		TL	KR189 WA	50,800	
		TL	KR149 M3	57,000	
	120/70R17	TL	KR149 H3	57,000	
		TL	KR151 H2	57,000	
		TL	KR189 WA	52,400	
R	12	120/80-12	TL	S-SLK MS	25,800
			TL	S-RAIN	22,000
			TL	S-RAIN	23,900
	17	115/70R17	TL	S-SLK SOFT	43,900
			TL	S-SLK MED	43,900
			TL	S-SLK HARD	43,900
140/65R17	TL	KR389 WA	62,200		
	TL	S-SLK MED	60,800		
	TL	KR405 WC	75,600		
	TL	S-SLK SOFT	74,100		
	TL	S-SLK QF	74,100		
	TL	S-SLK MED	74,100		
120/90-18 65M	WT	EN91	27,900		
	WT	AT82	22,200		
	WT	EN91	33,100		
	WT	EN91EX	33,100		
	WT	D908RR	32,200		
	WT	D908RR	41,800		

※在庫限り
 ☆ST1000クラス指定タイヤとして規則により地方選手権のみ使用可能、全日本選手権では使用不可。
 ▼ST1000クラス指定タイヤとして規則により全日本ロードレース選手権のみ使用可能、地方選手権では使用不可。
 ◇鈴鹿8時間耐久ロードレース限定販売です。冬期のタイヤ保管には特にご注意ください。
 ▲全日本ロードレース選手権JSB1000クラス専用タイヤ、DUNLOPレースサービスガレージ限定販売品。

モトクロス ※公道走行不可						
F/R	インチ	サイズ	構造	パターン	(円)	
F	10	60/100-10 33J	WT	MX34	5,600	
			WT	MX53	5,600	
			WT	MX34	5,800	
		12	60/100-12 36J	WT	MX34	5,800
				WT	MX53	5,800
				WT	MX34	7,000
	14	60/100-14 29M	WT	MX34	7,000	
			WT	MX53	7,000	
			WT	MX34	9,100	
		17	70/100-17 40M	WT	MX53	9,100
				WT	MX71	9,100
				WT	MX34	11,200
19	70/100-19 42M	WT	MX34	11,200		
		WT	MX53	11,200		
		WT	MX71	11,200		
	21	80/100-21 51M	WT	MX12	15,200	
			WT	MX34	15,200	
			WT	MX53	15,200	
R	10	70/100-10 41J	WT	MX14	6,000	
			WT	MX34	6,000	
			WT	MX53	6,000	
	12	80/100-12 41M	WT	MX14	8,100	
			WT	MX34	8,100	
			WT	MX53	8,100	
14	90/100-14 49M	WT	MX14	12,200		
		WT	MX34	12,200		
		WT	MX53	12,200		
	16	90/100-16 51M	WT	MX14	13,100	
			WT	MX34	13,100	
			WT	MX53	13,100	
18	100/100-18 59M	WT	MX34	18,500		
		WT	MX53	18,500		
		WT	MX71	17,700		
	110/90-18 61M	WT	MX14	20,600		
		WT	MX34	20,600		
		WT	MX53	20,600		
120/90-18 65M	WT	MX34	22,400			
	WT	MX53	22,400			
	WT	MX71	22,400			
19	100/90-19 57M	WT	MX14	18,100		
		WT	MX34	18,100		
		WT	MX53	18,100		
	110/90-19 62M	WT	MX14	22,400		
		WT	MX34	22,400		
		WT	MX53	22,400		
120/80-19 63M	WT	MX14	22,400			
	WT	MX34	22,400			
	WT	MX53	22,400			
120/90-19 66M	WT	MX71A	22,400			
	WT	MX34	24,100			
	WT	MX53	24,100			

エンデューロ/トライアル競技用タイヤ					
F/R	インチ	サイズ	構造	パターン	(円)
F	21	80/100-21M/C 51M	WT	TL01	17,200
			WT	AT81F EX	17,400
			WT	AT82	15,000
	90/100-21 57M	WT	AT82	18,300	
		WT	EN91	22,700	
		WT	D908RR	23,900	
R	18	110/100-18 64M	WT	AT81EX	23,300
			WT	AT82	20,200
			TL	TL01	31,800
	120/90-18M/C 65R	WT	EN91	27,900	
		WT	AT82	22,200	
		WT	EN91	33,100	
140/80-18M/C 70R	WT	EN91EX	33,100		
	WT	D908RR	32,200		
	WT	D908RR	41,800		

※2 公道走行不可

競技用ムース	
FM21S	
FM21L	
FM19S	
FM19L	
FM18S	
FM18L	

ビードストッパー	
1.60-M	
1.85-M	
2.15-M	
2.50-M	
3.00-M	

インチ	サイズ	(円)	適応タイヤサイズ	備考
6	4.50-6.5 4-6 TR87S	2,600	4.50-6.5 4-6.130/90-6	☆
8	2.50-8 TR87S	1,800	2.50-8	☆
	3.00-8 TR87S	2,100	3.00-8	☆
	3.50-8 TR87S	1,900	3.50-8.3.75-8	■
	3.50-8 TR87S	2,100	3.50-8.4.00-8	☆
	3.50-8 TR87S	2,100	3.50-8.4.00-8	☆
10	2.25-10 TR4S	1,700	2.25-10	
	2.50-10 TR4S	1,900	2.50-10.2.75-10.60/100-10.70/100-10.80/90-10	
	2.50-10 TR4S	4,500	2.50-10.2.75-10.60/100-10.70/100-10	○
	2.75-10 TR4S	2,100	2.75-10.80/90-10.2.50-10	☆
	3.00-10 TR4S	1,900	3.00-10.90/90-10	
	3.00-10 TR4S	2,100	3.00-10.90/90-10	☆
	3.50-10 TR4S	1,900	3.50-10.4.00-10.100/90-10.110/90-10.120/90-10	
	3.50-10 TR4S	1,900	3.50-10.4.00-10	■
	3.50-10 TR4S	2,100	3.50-10.4.00-10.100/90-10.110/90-10.120/90-10	☆
	3.50-10 TR4S	2,100	3.50-10.2.75-10.80/90-10	☆
	3.50-10 TR4S	4,500	3.50-10.2.75-10.80/90-10	○
	12	60/100-12 TR4 MOT	1,900	60/100-12
60/100-12 TR4		1,900	60/100-12	
3.00-80/100-100/80-12 TR4		1,900	3.00-12.80/100-12.100/80-12	
14	90/100-14 TR4 MOT	2,600	4.00-12.4.50-12	☆



ダンロップ MC タイヤ 参考 定価表 2025年4月～

大石ゴム株式会社

本社 福岡県福岡市博多区諸岡2-15-11 TEL:092-591-6721 FAX:092-573-4053
 営業所 長崎県佐世保市御本町16-2 TEL:0956-34-1131 FAX:0956-34-1838
 営業所 鹿児島県鹿児島市伊敷5-28-70 TEL:099-218-8791 FAX:099-229-7880

HONDA(1)							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
GL1800	1800cc	18~	F	D423	130/70R18M/C 63H	TL	45,200
			R	D423	200/55R16M/C 77H	TL	63,700
GL1800 F8C	1800cc	12~	F	D254	130/60R19M/C 61H	TL	41,400
			R	D256	180/55R17M/C 73H	TL	56,400
VT1300CX	1300cc	12~	F	D422	90/90-21M/C 54H	TL	19,100
			R	D423	200/50R18M/C 78H	TL	71,800
VT1300CR	1300cc	10~	F	D418	140/80-17M/C 69H	TL	28,700
			R	D418	170/80-15M/C 77H	TL	41,600
VT1300CS	1300cc	10~	F	D418	90/90-21M/C 54H	TL	19,100
			R	D418	170/80-15M/C 77H	TL	41,600
CB1300SF/SB	1300cc	17~	F	RS3	120/70ZR17M/C (58W)	TL	40,800
			R	RS3	180/55ZR17M/C (73W)	TL	60,400
CTX1300	1300cc	14~	F	D423	130/70R18M/C 63V	TL	45,200
			R	D423	200/50R17M/C 75V	TL	75,400
REBEL1100	1100cc	21~	F	D428	130/70B18M/C 63H	TL	36,200
			R	D428	180/65B16M/C 81H	TL	41,200
CB1100RS	1100cc	17~	F	RS3	120/70ZR17M/C (58W)	TL	40,800
			R	RS3	180/55ZR17M/C (73W)	TL	60,400
CB1100	1100cc	10~	F	D205	110/80R18M/C 58V	TL	45,800
			R	D205	140/70R18M/C 67V	TL	54,300
CB1100EX	1100cc	14~	F	D205	110/80R18M/C 58V	WT	39,500
			R	D205	140/70R18M/C 67V	WT	47,500
NT1100	1100cc	22~	F	GPR300	120/70ZR17M/C (58W)	TL	35,200
			R	GPR300	180/55ZR17M/C (73W)	TL	51,200
HAWK11	1100cc	22~	F	GPR300	120/70ZR17M/C (58W)	TL	35,200
			R	GPR300	180/55ZR17M/C (73W)	TL	51,200
CBR1000RR	1000cc	17~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	190/50ZR17M/C (73W)	TL	63,300
CB1000R	1000cc	18~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	190/55ZR17M/C (75W)	TL	63,300
CRF1000L Africa Twin	1000cc	15~	F	D610	90/90-21M/C 54H	WT	25,600
			R	D610	150/70R18M/C 70H	WT	40,000
VFR800F	800cc	14~	F	D222	120/70ZR17M/C (58W)	TL	42,000
			R	D222	180/55ZR17M/C (73W)	TL	62,000
XL750 TRNASALP	750cc	23~	F	MIXTOUR	90/90-21M/C 54H	WT	25,600
			R	MIXTOUR	150/70R18M/C 70H	WT	39,700
NC750X	750cc	15~	F	D609	120/70ZR17M/C (58W)	TL	41,400
			R	D609	180/60ZR17M/C (69W)	TL	55,000
NM4-01	750cc	14~	F	D423	120/70ZR18M/C (59W)	TL	41,800
			R	D423	200/50ZR17M/C (75W)	TL	75,400
VT750S	750cc	10~	F	D404	100/90-19M/C 57H	WT	19,300
			R	D404	150/80B16M/C 71H	WT	27,500
Shadow750	750cc	4~	F	D404	120/90-17M/C 64S	WT	18,900
			R	D404	160/80-15M/C 74S	TL	32,900
CBR650R	650cc	18~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	180/55ZR17M/C (73W)	TL	62,000
CB/CBR650F	650cc	14~	F	D222	120/70ZR17M/C (58W)	TL	42,000
			R	D222	180/55ZR17M/C (73W)	TL	62,000
CBR600RR	600cc	20~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	180/55ZR17M/C (73W)	TL	61,200
CBR600RR	600cc	13~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	180/55ZR17M/C (73W)	TL	62,000
500X 400X	500cc 400cc	19~	F	MIXTOUR	110/80R19M/C 59H	TL	31,600
			R	MIXTOUR	160/60R17M/C 69H	TL	46,600
CL500/250	500cc 250cc	23~	F	MIXTOUR	110/80R19M/C 59H	TL	31,600
			R	MIXTOUR	150/70R17M/C 69H	TL	40,200
REBEL500/250	500cc 250cc	17~	F	D404	130/90-16M/C 67H	TL	27,200
			R	D404	150/80-16M/C 71H	TL	31,400
CB400SF	400cc	99~	F	D204	120/60ZR17M/C (55W)	TL	35,600
			R	D204	160/60ZR17M/C (69W)	TL	54,900
CBR400R/CB400F 400X	400cc	13~	F	D222	120/70ZR17M/C (58W)	TL	42,000
			R	D222	180/60ZR17M/C (69W)	TL	54,900
VT400S	400cc	10~	F	D404	100/90-19M/C 57H	WT	19,300
			R	D404	150/80B16M/C 71H	WT	27,500
NX400	400cc	24~	F	MIXTOUR	110/80R19M/C 59H	TL	31,600
			R	MIXTOUR	160/60R17M/C 69H	TL	46,600

HONDA(2)							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
GB350/C	350cc	21~	F	GT601	100/90-19M/C 57H	TL	23,500
			R	GT601	130/70-18M/C 63H	TL	25,400
CBR250RR	250cc	17~	F	GPR300	110/70R17M/C 54H	TL	31,800
			R	GPR300	140/70R17M/C 66H	TL	41,000
VTR250	250cc	14~	F	K510	110/70R17M/C 54H	TL	32,000
			R	K510	140/60R17M/C 63H	TL	38,900
CB250R CB125R	250cc 125cc	14~	F	GPR300	110/70R17M/C 54H	TL	31,800
			R	GPR300	150/60R17M/C 66H	TL	42,400
XR230MOTARD	230cc	8~	F	GT401FK	110/70-17M/C 54H	WT	18,300
			R	GT401 K	130/70-17M/C 62H	WT	21,800
CB223S	223cc	8~	F	TT100GP	110/90-18M/C 61H	WT	23,100
			R	TT100GP	130/80-18M/C 66H	WT	27,400

YAMAHA							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
XV1900A	1900cc	16~	F	D251	130/70R18M/C 63H	TL	45,200
			R	D251	190/60R17M/C 78H	TL	62,000
XVS1300A	1300cc	8~	F	D404	130/90-16M/C 67H	TL	27,200
			R	K555	170/70B16M/C 75H	TL	34,100
V-MAX1200	1200cc	84~	F	F20	110/90-18M/C 61V	TL	28,500
			R	K525	150/90-15M/C 74V	TL	41,600
ドゥラッグスター1100	1100cc	1~	F	D404	130/90-16M/C 67S	WT	21,200
			R	D404	170/80-15M/C 77S	WT	35,200
MT-09 TRACER	900cc	15~	F	D222	120/70ZR17M/C (58W)	TL	42,000
			R	D222	180/55ZR17M/C (73W)	TL	62,000
MT-09	900cc	14~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	180/55ZR17M/C (73W)	TL	62,000
YZF-R6	600cc	17~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	180/55ZR17M/C (73W)	TL	62,000
YZF-R6	600cc	8~	F	QF	120/70ZR17M/C (58W)	TL	41,600
			R	QF	180/55ZR17M/C (73W)	TL	61,400
TMAX530	530cc	16~	F	RS3	120/70R15M/C 56H	TL	33,300
			R	RS3	160/60R15M/C 67H	TL	45,200
TMAX530	530cc	13~	F	GPR100	120/70R15M/C 56H	TL	30,200
			R	GPR100	160/60R15M/C 67H	TL	41,000
YZF-R3/MT-03	300cc	19~	F	GPR300	110/70R17M/C 54H	TL	31,800
			R	GPR300	140/70R17M/C 66H	TL	41,000

SUZUKI(1)							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
ブルーバード M109R	1800cc	6~	F	D221	130/70R18M/C 63V	TL	47,900
			R	D221	240/40R18M/C 79V	TL	85,800
V-Strom1050DE	1050cc	23~	F	MIXTOUR	90/90-21M/C 54H	WT	25,600
			R	MIXTOUR	150/70R17M/C 69H	TL	40,200
KATANA	1000cc	19~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	190/50ZR17M/C (73W)	TL	62,500
GSX-S1000GX	1000cc	24~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	190/50ZR17M/C (73W)	TL	62,500
GSX-S1000GT	1000cc	22~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	190/50ZR17M/C (73W)	TL	62,500
GSX-S1000	1000cc	21~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	190/50ZR17M/C (73W)	TL	62,500
GSX-S1000	1000cc	15~	F	D214	120/70ZR17M/C (58W)	TL	42,000
			R	D214	190/50ZR17M/C (73W)	TL	63,300
GSX-8S/R	800cc	23~	F	RDSPT2	120/70ZR17M/C (58W)	TL	41,400
			R	RDSPT2	180/55ZR17M/C (73W)	TL	61,200
V-Strom800DE	800cc	23~	F	MIXTOUR	90/90-21M/C 54H	WT	25,600
			R	MIXTOUR	150/70R17M/C 69H	WT	34,900
SV850	650cc	18~	F	RS3	120/70ZR17M/C (58W)	TL	40,800
			R	RS3	160/60ZR17M/C (69W)	TL	52,200
DRZ-400SM	400cc	4~	F	D208	120/70R17M/C 58H	TL	39,300
			R	D208	140/70R17M/C 66H	TL	44,700
GDXER250SF	250cc	20~	F	GPR300	110/70R17M/C 54H	TL	31,800
			R	GPR300	150/60R17M/C 66H	TL	42,400
GIXXER	150cc	23~	F	GT601	100/80-17M/C 52H	TL	17,400
			R	K510	140/60R17M/C 63H	TL	38,900

SUZUKI(2)							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
GIXXER	150cc	17~	F	K275	100/80-17M/C 52S	TL	14,900
			R	K510	140/60R17M/C 63H	TL	38,900
アヴェニス125	125cc	23~	F	D307	90/90-12 44J	TL	11,000
			R	D307	90/100-10 53J	TL	12,200
アドレス125	125cc	23~	F	D307	90/90-12 44J	TL	11,000
			R	D307	90/100-10 53J	TL	12,200
バーグマンストリート 125EX	125cc	23~	F	D307	90/90-12 44J	TL	11,000
			R	D307	100/80-12 56J	TL	12,000
GSX-S125/R125	125cc	17~	F	D102FA	90/80-17M/C 46S	TL	13,100
			R	D102A	130/70-17M/C 62S	TL	17,500

KAWASAKI							
車種	排気量	年式	F/R	パターン	サイズ	構造	(円)
V							